




Shaping up our smart life



HERRINGBONE Series

Rigid Core SPC Click Flooring

Herringbone Origins

The Herringbone pattern is a traditional type of flooring, named after a resemblance to the bones of the herring fish.



Truly inspired by nature, herringbone flooring is easily recognised by the way the panels are laid in a staggered zig-zag shape.



Herringbone flooring was first used in 16th century Renaissance France, quickly becoming a symbol of status and elegance in the chateaus of French aristocrats.

Herringbone floor at the Chateau de Fontainebleau, France



Today, the herringbone pattern is enjoying a rebirth in the flooring industry. With its timeless aesthetic, it feels at home in both traditional and contemporary settings.

Herringbone Advantages

01

This unique flooring pattern offers a luxurious and European quality to your space.



02

Herringbone gives your floor the appearance of movement, making any room feel more spacious.

03

Floors designed with the Herringbone pattern offer versatility. Depending on the room's design, they can be either subtle or strong.



Embossed- In-Register Surface



Embossed-In-Register (E.I.R.) is an innovative flooring technology that creates a perfect match between the 3D texture and decor film alignment, ensuring that they are precisely "in register."

E.I.R. is added during the EraFlor SPC manufacturing process. A heated metal plate containing a pattern is precisely pressed into the surface layer, creating realistic 3D textures that matches with the grain of the high resolution decor film.

E.I.R. enhances the visual and sensory experience, making it an ideal choice for those seeking the charm and accuracy of natural wood in their indoor spaces.



HERRINGBONE Series



SPECIFICATIONS

PRODUCT DIMENSIONS

625mm x 125mm x 5mm

PANEL FEATURE

4-Sided Micro Bevel

SURFACE TEXTURE

Emboss-In-Register (E.I.R.)

WEAR LAYER

0.5mm

PRODUCT DENSITY

2000 KG/m³



PACKAGING DETAILS

ONE BOX

28 pcs (23.55 sqft)

ONE PALLET

48 boxes (1130.40 sqft)



Note: Colors shown may have slight difference compared to actual products.

ESH511E

**URBAN
OAK**

DIMENSIONS **625mm x 125mm x 5mm**

WEAR LAYER **0.5mm**

SURFACE **EMBOSSSED-IN-REGISTER (E.I.R)**

PANEL FEATURE **4-SIDED MICRO BEVEL**

WARRANTY **10 YEARS DOMESTIC
5 YEARS COMMERCIAL**





Note: Colors shown may have slight difference compared to actual products.

ESH512E

TITAN OAK

DIMENSIONS **625mm x 125mm x 5mm**

WEAR LAYER **0.5mm**

SURFACE **EMBOSSSED-IN-REGISTER (E.I.R)**


PANEL FEATURE **4-SIDED MICRO BEVEL**

WARRANTY **10 YEARS DOMESTIC
5 YEARS COMMERCIAL**



EraFlor® HERRINGBONE Series

- 1 UV COATING**
 Enhanced durability, easy care and maintenance.
- 2 CLEAR WEAR LAYER**
 0.5mm transparent wear layer provides excellent resistance to stain, scuffs and abrasions.
- 3 PRINTED DECOR FILM**
 High resolution printed film delivers vivid effects in realistic and natural appearance.
- 4 5MM STONE PLASTIC CORE**
 100% termiteproof SPC core, made with virgin materials. Dimensional stable and durable.
- 5 CLICK LOCKING SYSTEM**
 Glueless locking system for fast and easy installation.



WHY ERAFLOR?



Emboss In Register Surface



Water Resistant Flooring



Lifetime Termite Warranty



Safe & Eco Friendly



Flame Retardant



Water Resistant



Stain Resistant



Easy to Install

WARRANTY

- **Lifetime** Termite Resistant Warranty
- **Up to 5 years*** for moderate commercial application
- **Up to 10 years*** for domestic application

**(Subject to stipulated terms & conditions.)*

The subfloor surface must be clean from any debris, dry, smoothly screeded and must be even. Any uneven subfloor must undergo with the self - levelling process.

For more information such as subfloor preparation, site condition requirements, installation methods, maintenance requirements, etc., please refer to the EraFlor packaging.

