

THE 8 • THE 12 • THE 12+

# HIGH PERFORMANCE COMPONENTS



# WHY CHOOSE ERAFLOR LAMINATE FLOORING?



HIGH DENSITY HDF CORE

880 KG/M³ density HDF core provides superior dimensional stability and stronger click system.



**STRONG & SECURE CLICK SYSTEM** 

Uniclic® locking system delivers an even and seamless appearance to joints.



<10% MOISTURE SWELLING

High resistance to moisture prevents EraFlor Laminate panels from swelling easily.



4-SIDED MICRO BEVEL

Just like solid timber, EraFlor laminate flooring features premium bevelling on all four sides of every plank.



**EMBOSSED-IN-REGISTER SURFACE\*** 

EIR creates a highly realistic and textured appearance that resembles solid timber.



**ELEGANT BIG PANELS\*** 

EraFlor laminate is one of the first to offer the longest and widest flooring panels in Malaysia.



ULTRACOAT SYSTEM

UltraCoat System provides exceptional moisture resistance and minimises squeaking noise at the panel joints.









ABRASION CLASS: AC4 | THICKNESS: 8 mm | SURFACE: Matt

**TEXTURE:** Light Brushed | **FEATURES:** 4-Sided Micro Bevel

**WARRANTY:** 20 years for heavy domestic use. 15 years for moderate commercial use.

**DIMENSIONS** 

1215 mm (L) x 198 mm (W) x 8 mm (T) I 1 box = 9 panels (23.30 sqft)

#### ACCESSORIES COLORS

# **WARRANTY COVERAGE**













**10 Years** 

15/20 Years

15/20 Years





ABRASION CLASS: AC4 | THICKNESS: 8 mm | SURFACE: Matt

**TEXTURE:** Light Brushed | **FEATURES:** 4-Sided Micro Bevel

**WARRANTY:** 20 years for heavy domestic use. 15 years for moderate commercial use.

### **DIMENSIONS**

1215 mm (L) x 198 mm (W) x 8 mm (T) I 1 box = 9 panels (23.30 sqft)

# ACCESSORIES COLORS







**WARRANTY COVERAGE** 





**10 Years** 

15/20 Years

15/20 Years





ABRASION CLASS: AC4 | THICKNESS: 8 mm | SURFACE: Matt

**TEXTURE:** Light Brushed | **FEATURES:** 4-Sided Micro Bevel

**WARRANTY:** 20 years for heavy domestic use. 15 years for moderate commercial use.

### **DIMENSIONS**

1215 mm (L) x 198 mm (W) x 8 mm (T) I 1 box = 9 panels (23.30 sqft)

# ACCESSORIES COLORS





# **WARRANTY COVERAGE**









10 Years

15/20 Years

15/20 Years





ABRASION CLASS: AC4 | THICKNESS: 8 mm | SURFACE: Matt

**TEXTURE:** Light Brushed | **FEATURES:** 4-Sided Micro Bevel

**WARRANTY:** 20 years for heavy domestic use. 15 years for moderate commercial use.

### **DIMENSIONS**

1215 mm (L) x 198 mm (W) x 8 mm (T) I 1 box = 9 panels (23.30 sqft)

# ACCESSORIES COLORS





# **WARRANTY COVERAGE**










10 Years

15/20 Years

15/20 Years





THE I





**ABRASION CLASS**: AC4 | **THICKNESS**: 12 mm | **SURFACE**: Matt **TEXTURE**: Embossed-In-Register | **FEATURES**: 4-Sided Micro Bevel

**WARRANTY:** 20 years for heavy domestic use. 15 years for moderate commercial use.

### **DIMENSIONS**

1214 mm (L) x 198 mm (W) x 12 mm (T) I 1 box = 6 panels (15.52 sqft)

# ACCESSORIES COLORS





# **WARRANTY COVERAGE**









10 Years

15/20 Years

15/20 Years





ABRASION CLASS: AC4 | THICKNESS: 12 mm | SURFACE: Matt

**TEXTURE:** Wood Grain | **FEATURES:** 4-Sided Micro Bevel

**WARRANTY:** 20 years for heavy domestic use. 15 years for moderate commercial use.

# **DIMENSIONS**

1214 mm (L) x 198 mm (W) x 12 mm (T) | 1 box = 6 panels (15.52 sqft)

# ACCESSORIES COLORS

# **WARRANTY COVERAGE**













10 Years

15/20 Years

15/20 Years





ABRASION CLASS: AC4 | THICKNESS: 12 mm | SURFACE: Matt

**TEXTURE:** Wood Grain | **FEATURES:** 4-Sided Micro Bevel

**WARRANTY:** 20 years for heavy domestic use. 15 years for moderate commercial use.

# **DIMENSIONS**

1214 mm (L) x 198 mm (W) x 12 mm (T) | 1 box = 6 panels (15.52 sqft)

#### ACCESSORIES COLORS





WARRANTY COVERAGE









10 Years

15/20 Years

15/20 Years





ABRASION CLASS: AC4 | THICKNESS: 12 mm | SURFACE: Matt

**TEXTURE:** Wood Grain | **FEATURES:** 4-Sided Micro Bevel

WARRANTY: 20 years for heavy domestic use. 15 years for moderate commercial use.

# **DIMENSIONS**

1214 mm (L) x 198 mm (W) x 12 mm (T) | 1 box = 6 panels (15.52 sqft)

# ACCESSORIES COLORS





WARRANTY COVERAGE









10 Years

15/20 Years

15/20 Years









**ABRASION CLASS**: AC4 | **THICKNESS**: 12 mm | **SURFACE**: Matt **TEXTURE**: Embossed-In-Register | **FEATURES**: 4-Sided Micro Bevel

**WARRANTY:** 20 years for heavy domestic use. 15 years for moderate commercial use.

### **DIMENSIONS**

1515 mm (L) x 238 mm (W) x 12 mm (T) I 1 box = 5 panels (19.40 sqft)

#### ACCESSORIES COLORS



Almond Ivory

# **WARRANTY COVERAGE**









**10 Years** 

15/20 Years

15/20 Years





**ABRASION CLASS**: AC4 | **THICKNESS**: 12 mm | **SURFACE**: Matt **TEXTURE**: Embossed-In-Register | **FEATURES**: 4-Sided Micro Bevel

**WARRANTY:** 20 years for heavy domestic use. 15 years for moderate commercial use.

### **DIMENSIONS**

1515 mm (L) x 238 mm (W) x 12 mm (T) I 1 box = 5 panels (19.40 sqft)

# ACCESSORIES COLORS





# **WARRANTY COVERAGE**









**10 Years** 

15/20 Years

15/20 Years





**ABRASION CLASS**: AC4 | **THICKNESS**: 12 mm | **SURFACE**: Matt **TEXTURE**: Embossed-In-Register | **FEATURES**: 4-Sided Micro Bevel

**WARRANTY:** 20 years for heavy domestic use. 15 years for moderate commercial use.

### **DIMENSIONS**

1515 mm (L) x 238 mm (W) x 12 mm (T) | 1 box = 5 panels (19.40 sqft)

# ACCESSORIES COLORS



Mocha Hazelnut

# **WARRANTY COVERAGE**









10 Years

15/20 Years

15/20 Years





**ABRASION CLASS**: AC4 | **THICKNESS**: 12 mm | **SURFACE**: Matt **TEXTURE**: Embossed-In-Register | **FEATURES**: 4-Sided Micro Bevel

**WARRANTY:** 20 years for heavy domestic use. 15 years for moderate commercial use.

### **DIMENSIONS**

1515 mm (L) x 238 mm (W) x 12 mm (T) I 1 box = 5 panels (19.40 sqft)

#### ACCESSORIES COLORS





# **WARRANTY COVERAGE**









10 Years

15/20 Years

15/20 Years



# FLOORING PROFILES & SKIRTING

- 1 Adaptation
- 2 PVC Skirting
- Nosing
- 4 Transition
- 5 End

# **UNDERLAYMENTS**



# **PE FOAM**

Thickness: 2 mm

To compensate for the unevenness of the subfloor that equals =<3 mm per 1 m² area. PE foam also absorbs noise coming from the contact between the flooring panels and the subfloor.

# **PLASTIC SHEET**

Thickness: 0.17 mm

The plastic sheet acts as a moisture barrier between the subfloor and the flooring panels.

# **ACOUSTIC UNDERLAY**

Thickness: 2 mm

The acoustic underlay provides 2in-1 acoustic properties and also acts as a moisture barrier between the subfloor and the flooring panels, providing exceptional comfort underfoot.



# **PVC SKIRTING**





# **100mm (H)** S100 Skirting - 2440 x 100 x 18 mm

**70mm (H)** F70 Skirting - 2440 x 70 x 15 mm







# **ADAPTATION**

# **TRANSITION**





# 8mm / 12mm panel

The adaptation profile connects different levels of adjacent surfaces or flooring types

# 8mm / 12mm panel

The transition profile connects different surfaces or flooring types of the same level.



8mm Adaptation (PVC-A:14x55x2700mm)



12mm Adaptation (PVC-A-12:17x45x2700mm)



8mm Transition (PVC-T:12x42x2700mm)



12mm Transition (PVC-T-12:18x42x2700mm)

#### Decors available



Almond



Graywood Mahogany



Mocha

Teak





Decors available



African Wenge



Almond



Mahogany



Mocha



Teak

#### Decors available

Mahogany

Mocha

Teak



African Wenge Almond









Maple



Oak



Walnut

# Decors available



African Wenge



Almond



Mahogany



Mocha



Teak



# **END**

# **NOSING**





# 8mm / 12mm panel

The end profile is placed at borders or other raised platforms.

# 8mm / 12mm panel


The nosing profile acts as a cover for platforms or staircases between the tread and riser.



8mm End (PVC-E:10x28x2700mm)



12mm End (PVC-E-12:14x28x2700mm)



8mm Bullnose (PVC-BN: 22x20x2700mm)



8mm Nosing (PVC-N: 26x34x2700mm)



12mm Nosing (PVC-N-12: 30x34x2700mm)

Decors available

#### Decors available

















#### Decors available







Almond



Mahogany



Teak

Decors available


















Teak



# EraFlor Laminate Flooring Advantages



Termite Warranty



Stain Warranty



Wear Warranty



Fading Warranty



Uniclic® Locking System



E1 Emissions Standard



AC4 Abrasion Class



High Density HDF Core



<10% Swelling Rate



4-Sided Micro Bevel



Impact Resistant



UltraCoat System

# Certified & Attested





